

U.S. Patent

Jul. 21, 1998

Sheet 1 of 13

5,783,083




Figure 1


09621234-076000

U.S. Patent

Jul. 21, 1998

Sheet 2 of 13

5,783,083



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

U.S. Patent

Jul. 21, 1998

Sheet 3 of 13

5,783,083




Fig. 3

U.S. Patent

Jul. 21, 1998

Sheet 4 of 13

5,783,083




Fig. 4




Fig. 5

0022034422960

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

U.S. Patent

Jul. 21, 1998

Sheet 5 of 13

5,783,083




Fig. 6

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

U.S. Patent

Jul. 21, 1998

Sheet 6 of 13

5,783,083




Fig. 7




Fig. 8

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

U.S. Patent

Jul. 21, 1998

Sheet 9 of 13

5,783,083

Interconnect
supports
not shown




Fig. 10

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


U.S. Patent

Jul. 21, 1998

Sheet 11 of 13

5,783,083

FIGURE 13



09624234-072000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


U.S. Patent

Jul. 21, 1998

Sheet 12 of 13

5,783,083

FIGURE 14



09621234-072000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


U.S. Patent

Jul. 21, 1998

Sheet 13 of 13

5,783,083

FIGURE 15



09621234.072000